

SafeNet Virtual Encryptor CV1000



Scalable to thousands of end-points, the SafeNet CV1000 Virtual Encryptor (CV1000) is a hardened virtual encryptor, designed for extended WANs and SD WANs. The CV1000 delivers cost effective policy-based multi-Layer data protection at up to 5 Gbps.

Why Virtualized Encryption?

In a world increasingly dominated by workforce mobility, distributed WAN, virtualization and borderless infrastructure, the need for robust, high-performance virtualized encryption security is growing. In addition, today's WANs often extend well beyond core infrastructure, and that data still requires robust encryption protection. The SafeNet Virtual Encryptor CV1000 (CV1000) gives IT and data network managers the ability to respond to changing business needs, meet the increasing demand for agility, and provides data protection across the extended and virtualized WAN—all the way to the network edge.

Virtualized encryption functions provide the scalability, simplicity, flexibility, as well as much needed cost-efficiencies demanded by IT and data networks managers. The CV1000 provides organizations with an operational and expense friendly alternative to using a hardware appliance for securing data in motion across networks and meeting security and compliance requirements. By using a virtualized encryption appliance organizations can remotely scale up network encryption to meet increased capacity demands or quickly make policy changes across multiple networks, while eliminating the cost for additional rack space.

Trusted Security

- Optimizes concurrent multi-layer network traffic encryption across Layer 2,3, and 4
- Flexible, cost-effective way to encrypt all the way to the network edge

Customer Benefits

- Agile, scalable solution, highly responsive to changes in IT and business needs
- Near-zero overhead
- Up to 10 times more affordable than hardware-based appliances

Scalable and Simple

- Point to Point, Hub and Spoke, and Full Mesh
- Instant scalability to match the scale and flexibility of their Software Defined Networks Ethernet Services
- Ease of deployment with centralized, 'zero-touch' provisioning

Scalability

The CV1000 is unique. Instant scalability means it may be deployed rapidly across hundreds of network links, providing robust encryption protection for data-in-motion. Designed to match flexibility and scalability of virtualized network functions (VNFs), such as virtual routers, switches and firewalls, the CV1000 is completely transparent to the network; making it the ideal solution to secure your WAN or SD-WAN, right to the network edge.

Flexibility

The CV1000 is the first high speed encryptor to offer Transport Independent Mode, meaning it is network layer independent (Layer 2, Layer 3, and Layer 4) and protocol agnostic. By supporting Layer 3, the CV1000 offers network operators more configuration options using TCP/IP routing for securing critical data. Because it's software-controlled, the CV1000 enables greater flexibility and responsiveness in network architecture, as well as opportunities to expand the network scale quickly.

Performance

As the latest addition to Thales SafeNet High Speed Encryptor portfolio, the CV1000 protects network communications at speeds of up to 5 Gbps encrypted bandwidth, when optimized in the network. The SafeNet Virtual Encryptor CV1000 leverages the SafeNet CN Series Ethernet encryptor platform, to maximize available bandwidth and minimize latency. Importantly, the CV1000 is transport layer agnostic and enables concurrent multi-layer encryption, making it an ideal solution for extended virtualized network security.

Trusted Security

Just like the SafeNet CN series of hardware encryptors, the CV1000 offers best-in-class strong encryption solutions, providing maximum security and performance. Designed to meet Common Criteria and FIPS requirements, the CV1000 supports standards based, end-to-end authenticated encryption, automatic key management, and utilizes robust AES 256-bit algorithms.

With integrated support for SafeNet KeySecure (Thales' centralized cryptographic key management solution), the CV1000 provides optimum security for the storage of master keys, the integrity of critical security policies and the source of entropy (randomness) for cryptographic key generation.

Specifications & Features	CV1000
Virtual Network Function (VNF) - Hosting Guide	
Network data encryptor type	Virtualized Network Encryption Solution (Layer 2-4), hosted on x86 platform
Bandwidth / performance	Up to 5 Gbps (with support for DPDK Intel Library)
Customer environment and performance	CV1000 is customer host and target specific - performance dependent upon customer targets, environment and platform
Virtual appliance - Host: hardware requirements¹	Host hardware agnostic - x86 Recommended: <ul style="list-style-type: none"> • 256 Mb RAM, 500 Mb Virtual Disk Storage, Multi-core
Appliance - Host CPU requirements	Compatible with all types
Hypervisor support	VMware, KVM, Microsoft Hyper-V. Other platforms may be supported.
Functional Specifications	
Supported topologies	Point-to-point, hub and spoke, fully meshed
Interoperability	Fully interoperable with all SafeNet High Speed Encryptor CN Series hardware encryptors
Maximum number of connections	500+
Encryption algorithms	Symmetric Cryptography: <ul style="list-style-type: none"> • AES-128/256 (CFB or CTR modes), Asymmetric cryptography:, ECC-512, RSA-2048
Policy based encryption	<ul style="list-style-type: none"> • MAC address • VLAN ID
Crypto-agility	Support for custom curves, custom algorithms and entropy
Authentication	Certificate based (X.509)
In-band/out-of-band management	Console Command Line Interface (CLI) <ul style="list-style-type: none"> • SSH, TACACS+, SNMPv3
Virtualized network interfaces	Three para-Virtualized (virtio/vmxnet3) NICs: <ul style="list-style-type: none"> • Eth0 – Management port • Eth1 – Local port • Eth2 – Network port
Virtualized hosting environment	Supports: <ul style="list-style-type: none"> • VMware, KVM/QEMU, Hyper-V, Virtual Box, Intel DPDK
Cloud management platform	Supports: <ul style="list-style-type: none"> • OpenStack
CV1000 management application	SafeNet Encryptor Manager CM7 – Included; SafeNet Security Management Center (SMC)
Centralized key server support	Customer determined optional support for SafeNet KeySecure for enhanced key lifecycle management ²
Licensing – CV1000 software	Flexible model choice: <ul style="list-style-type: none"> • Perpetual, Subscription Excludes host hardware and hypervisor Simple certificate based licensing model

¹ Performance is specific to customer target platform (or hardware)

² For more information about SafeNet KeySecure, visit the Thales website